

Message

---

**From:** Schmittdiel, Paula [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0EC9C256420E48469663FF21FBC6A06F-SCHMITTDIEL, PAULA]  
**Sent:** 7/3/2013 4:26:34 PM  
**To:** Farrell, Lisa - Environmental Health [Lisa.Farrell@denvergov.org]  
**CC:** DeLillio, Diane D. - Environmental Health [Diane.DeLillio@denvergov.org]  
**Subject:** RE: High Street storm sewer through VB/I70 OU2

Lisa – I will have to get back to you on this – after the 4<sup>th</sup> of July weekend. Hadn't thought about this so I'll have to do some checking. Have a good 4<sup>th</sup> of July.

Paula Schmittdiel  
Remedial Project Manager  
U.S. Environmental Protection Agency  
1595 Wynkoop St.  
Denver, CO 80202  
Office: 303-312-6861  
Cell: 720-951-0795

---

**From:** Farrell, Lisa - Environmental Health [mailto:Lisa.Farrell@denvergov.org]  
**Sent:** Wednesday, July 03, 2013 9:52 AM  
**To:** Schmittdiel, Paula  
**Cc:** DeLillio, Diane D. - Environmental Health  
**Subject:** High Street storm sewer through VB/I70 OU2

Good morning, Paula!

We are in negotiations with DADS to profile the wastes associated with the sewer project that will need to be disposed of at the landfill. They have mentioned an "off-site policy determination letter" from the EPA must be obtained and remitted before they can accept the soils. Do you know if the single policy letter exists and is on file so that we could remit it to them, or are we going to need to draft an original letter? Thanks, Paula!



**Lisa Farrell**

**Environmental Chemist**

City & County of Denver | Department of Environmental Health | Environmental Quality Division  
200 West 14th Avenue | Suite 310 | Denver | Colorado | 80204  
720.865.5439 Phone | 720.865.5534 Fax  
[lisa.farrell@denvergov.org](mailto:lisa.farrell@denvergov.org) | [Dial 3-1-1 for City Services](#)



Please consider the environment before printing this email.